


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA CAVESHAM AIRS BASE SITE NUMBER 06.
 DATE TRIP 5/9/95 RECORDERS Molly Dowdell
 DATE TRIP _____ RECORDERS PATSY MALLOY
 DATE TRIP _____ RECORDERS EILEEN BOWMAN
 BOTANIST BEVAN CARTER

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 31° 50' 10.9" S Longitude 115° 58' 7.4" E Altitude ± 42m
 Reference Map

Photograph Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep **Aspect** N NE E SE S SW W NW

Surface Soil SANDY LOAM. **Colour** _____
Exposed rock nil type _____ % surface _____

Sub-surface Soil CLAY. **Colour** _____
Rock _____ type _____ depth to rock _____

Drainage well mod poor depth water _____ cm **Wet** all year winter/spring

Litter _____ % cover _____
 Depth _____ cm **Bare Ground** 0% % cover _____

Artificial Drain southward edge,

CWS 06.

5/9/95












BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

TREES			MALLEES		
	over 30m	10-30m	under 10m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)		E. Rudis. 10%			100%
DOMINANT SPECIES		MALINAKA 80%			
SHRUBS			SHRUBS		
	over 2m	2m - 1m	under 1m		
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					
GRASSES		HERBS	SEDGES	OTHER	
LIFE FORM					
COVER CLASS (%)	10-30 100%	30-70%	→		
DOMINANT SPECIES	L. diurn. nig.	Flotus angust			

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS lost herb/annual sedge structural layers, replaced by large weeds
2	EXCELLENT		
3	VERY GOOD		
4	GOOD	X	
5	DEGRADED		

CAV5 06.

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE

Label each plant with plants number, site code, date and plant's name or working name if required
Record on Sheet

SITE No CAV5 06
Date 5/12/95

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

From 'Bushtland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
Melaleuca vaphylophylla	4							Acrotheca calendula	3		
"	9			11/12/95				HERB.	7		
Melaleuca viminea?	14			* Ubrua minor				BULB.	15		
Eucalyptus vuidis	16			* Valpic myrs							
				* Eberhardia longistylis							
MALLEES											
				GRASSES							
				PRGR55.	6						
				PRGR55.	10						
				PRGR55.	11						
				MP95.	14						
SHRUBS								SEDGES			
				11/12/95 * Bromus diandrus				sedge.	5		
				* Valpic broadlvs				sedge.	8		
11/12/95				* Lolium rigidum				11/12/95			
* Orea oaropoa				Miscelanea spoides				lepidosperma long.			
				HERBS							
				11/12/95							
				* Aeluropus arvensis							
				* Hydrocotyle glabra				ORCH			
				* Stenandra speciosa				spotted lumpy	1		
				* Bonania rosea				Lichen.	2		
				* Conyza sp				Lichen	13		
				* Spadix bulbifera							
				* Sarcobaea leucocarpa							

ADJ

Podolepis gracilis pin
* *Myrsiphyllum asperagoides*