


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA CHOLOWS PROPERTY SITE NUMBER CH1005
 DATE TRIP 14-12-95 RECORDERS BJK NCT
 DATE TRIP 15/12/95 RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Riverdale Rd

Geographic Location Latitude 32° 59' 974 S Longitude 115° 49' 003 E Altitude

Reference Map EPE ± 40 mt

Photograph _____ Photographer's Name NCT Photo No 20

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil peat Colour black
 Exposed rock type _____ % surface _____

Sub-surface Soil _____ Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter	<u>22</u> % cover	Bare Ground	<u>zero</u> % cover
Depth	cm		















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushtand Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

		TREES			MALLEES	
		over 30m	15-30m	5-15m under 5m	over 8m	under 8m
LIFE FORM						30m 10m
COVER CLASS (%)			30-70			
DOMINANT SPECIES			Mel priess			
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM						2m 1m
COVER CLASS (%)			70+			
DOMINANT SPECIES			Ades interm.			
		GRASSES	HERBS	SEDGES	SEDGES	
		over 0.5m	over 0.5m	over 0.5m	under 0.5m	
LIFE FORM					1m	
COVER CLASS (%)		2-10	2-10	30-70		
DOMINANT SPECIES		Amphi lag	Xanth pussilla	Restio steno		

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS Marric been burnt out been a fire about 1 year ago no weeds
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

ADJ

▷ *Phryganidia lanceolata*

✓ *Archonta per*

Swamp on S bank
Myrio cespitosum

▷ SWTH SWAMP - Southern Boundary
on SEC lines 330 00.474'S 115° 49.124' E

