


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA CAPEL DAVIES RD SITE NUMBER DAVIES 02
 DATE TRIP 18-10-95 RECORDERS BJK BMH NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Davies Rd

Geographic Location Latitude 33° 37.708' S Longitude 115° 37.132' E Altitude _____
 Reference Map EPE ± 42M.

Photograph _____ Photographer's Name NCT Photo No 13

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sandy clay Colour bleach
 Exposed rock type _____ % surface _____

Sub-surface Soil ? same Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter 42 % cover _____
 Depth _____ cm Bare Ground 2-10 % cover _____















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

TREES				MALLEES	
over 30m		15 - 30m	5 - 15m	over 9m	under 9m
LIFE FORM			Scattered 		
COVER CLASS (%)					
DOMINANT SPECIES			Mel cut		
SHRUBS				SHRUBS	
over 2m		2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM				Dwarf Sedge 	
COVER CLASS (%)				10-30	
DOMINANT SPECIES				Kunzea aff micran.	
GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM		Herbs 			Low Sedges 
COVER CLASS (%)		30-70			30-70
DOMINANT SPECIES		Mixed Drosera			Schoenus species Centropogon Meek den.

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS
2	EXCELLENT	
3	VERY GOOD ✓	
4	GOOD	
5	DEGRADED	

Davies Road Ave

taxmannia [SP? *spumosa*] [*ge*] [*omniketilis* = ? *minor*]
✓ *Med. cuneata*
✓ *Asplen. aff fascic. BRETTON*
✓ *Bria minor*
✓ *Certholepis rubra*

CHECK
with COR.