


Swan Coastal Plain Survey - SURVEY RECORDING SHEET Please use pencil

BUSHLAND AREA: DARDANUP BLOCK
 QUADRAT No. Dardanup 2 VEGETATION TYPE Banksia wildland
 DATE TRIP 6-5-93 BOTANIST NG/GK/BM/ML
 VOLUNTEERS _____
 DATE TRIP 10/11/93 BOTANIST Ng BJK
 VOLUNTEERS _____

Keighery and Keighery, 1990
 Adapted from Griffin and Keighery, 1989
 MOORE RIVER to JURIE SANDPLAIN
 SURVEY. WILDFLOWER SOCIETY OF WA


1. LOCATION of the QUADRAT

a. Mud Map Draw a sketch of the location of the quadrat:



b. Road Location	c. Latitude	Longitude
	33 24 28.5	115 47 44.4
d. Photograph Photographer's name - <u>NG</u> Photo No _____	Altitude <u>70m</u> (±100)	

e. Topographic position - Circle position of quadrat



2. SITE DATA - Circle the correct response

Slope flat gentle steep

Aspect N NE E SE S SW W NW

Surface soil grey sand

Sub-surface soil white sand EG = Qpry

Drainage well mod poor

Wet All year winter/spring

Litter (% cover) 70/80

% Bare ground 10/20

3. VEGETATION STRUCTURE AND COVER. Record appropriate cover class

Cover Class - percentage classes

0%	under 2%	2-10%	10-20%	20-30%	30-50%	50-70%	over 70%
----	----------	-------	--------	--------	--------	--------	----------

LIFE FORM	TREES		MALLEES	
	<p>15m or 5-15m</p>	<p>Under 5m</p>	<p>MALLEE SHRUB less than 8m</p>	<p>MALLEE TREE 8m or more</p>
COVER CLASS (%)	<p>>15m 5-15m</p>	20/30		
Dominant Species	Banksia a hemuata			

LIFE FORM	SHRUBS				SHRUBS	
	use the height classes indicated					
	over 2m	2.0-1.5m	1.5-1.0m	1.0m - .5m	under 5m	
COVER CLASS (%)			20/30		30/50	
Dominant Species			Acacia pulchella Kunzea rec		Stirl. lat Mel. ac Boss erioc	

LIFE FORM	BUNCH GRASSES	HERBS	SEDGES	
	under .5m	under .5m (except creepers)	over .5m	under .5m
COVER CLASS (%)		10/20		2-15%
Dominant Species		Dasy. brom Phleb ciliata		Hyp ex Lyy barb.

4. VEGETATION CONDITION

EXCELLANT		Comments burnt freq
VERY GOOD	✓	
GOOD		
POOR		
VERY POOR		

