

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only


BUSHLAND AREA FORESHORE RES SITE NUMBER FOLD 1
 DATE TRIP 13/1/98 RECORDERS BJK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

Mb Spr
 M. from Pal Hwy
 Core pe / try leaf
 Log, paper wet
 up stone
 15

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2, Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude _____ S Longitude _____ E Altitude _____
 Reference Map _____

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

| | | | | | | | | | | | | |
|------------------|-------------|--------|--------------|-------------|----|-----|---------------|--------------|---------------|----|---|----|
| Slope | flat | gentle | <u>steep</u> | Aspect | N | NE | E | SE | S | SW | W | NW |
| Surface Soil | <u>sand</u> | | | | | | Colour | <u>white</u> | | | | |
| Exposed rock | type | | | | | | % surface | | | | | |
| Sub-surface Soil | <u>sand</u> | | | | | | Colour | <u>white</u> | | | | |
| Rock | type | | | | | | depth to rock | | | | | |
| Drainage | <u>well</u> | mod | poor | depth water | cm | Wet | all year | | winter/spring | | | |
| Litter | % cover | | | Bare Ground | | | % cover | | | | | |
| | Depth | | | | | | | | | | | |















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

| TREES | | | | MALLEES | |
|------------------|---|---|--|--|---|
| | over 30m | 15 - 30m | 5 - 15m under 5m | over 8m | under 8m |
| LIFE FORM |  |  |  |  |  |
| COVER CLASS (%) | | | | | |
| DOMINANT SPECIES | | | | | |
| SHRUBS | | | | SHRUBS | |
| | over 2m | 2m - 1.5m | 1.5 - 1m | 1 - 0.5m | under 0.5m |
| LIFE FORM |  |  |  |  |  |
| COVER CLASS (%) | | | 2-10% | | 10-30% |
| DOMINANT SPECIES | | | All. teny | | Ac 1950 |
| GRASSES | | HERBS | SEDGES | over 0.5m | under 0.5m |
| LIFE FORM |  |  |  | |  |
| COVER CLASS (%) | | 10-30% | | | 2-10% |
| DOMINANT SPECIES | | Lom. marit Ac. prec | | | Lom. marit |

4. VEGETATION CONDITION

| | | |
|---|------------|----------|
| 1 | 'PRISTINE' | COMMENTS |
| 2 | EXCELLENT | |
| 3 | VERY GOOD | |
| 4 | GOOD | |
| 5 | DEGRADED | |

