


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA GILLON ST SITE NUMBER GILL 01
 DATE TRIP 20/2/25 RECORDERS BJK, NT, SE
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 4 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location Gillon St

Geographic Location Latitude 32° 00.449' S Longitude 115° 52.930' E Altitude _____

Reference Map _____

Photograph _____ Photographer's Name SE Photo No 12

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour brown
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour gray
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	<u>10-30</u>	% cover	Bare Ground	<u>< 2</u>	% cover
Depth	<u>0.5</u>	cm			















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m under 5m	over 9m	under 9m
LIFE FORM				? open low woodland B 		
COVER CLASS (%)				2-10		
DOMINANT SPECIES				B. menz		
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM				Open Low Scrub B 		Low Heath O 
COVER CLASS (%)				2-10		30-70
DOMINANT SPECIES				Jacksonia fure Allocas humilis Acacia anth		Hibb hysp Daviesia triflora
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM			Herbs 			Very open Low Sedges 
COVER CLASS (%)			30-70			2-10
DOMINANT SPECIES			Patos occid Quincha unilli			Alex. nevad

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS Frequent fires
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

