


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA CNANKARA LAKES SITE NUMBER CNANK 01
 DATE TRIP 27/10/94 RECORDERS BJK, NT, JA
 DATE TRIP 5/12/94 RECORDERS BJK
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location see photo, tracks N Alex. Drive (N) to Lake

Geographic Location Latitude 31° 46.89 S Longitude 115° 52.27 E Altitude 22m

Reference Map ± 29m

Photograph Photographer's Name JA Photo No 20

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil _____ Colour black
Exposed rock _____ type _____ % surface _____

Sub-surface Soil _____ Colour _____
Rock _____ type clay depth to rock _____

Drainage well mod poor depth water 1 cm Wet all year winter/spring
in places

Litter _____ % cover _____
Depth _____ cm _____
Bare Ground 2-10% cover

Env² Geol: Cps

lake ?
(or zone of CI)

B 2
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

| | | | | |
|-------------|-------|--------|--------|----------|
| Cover Class | 2-10% | 10-30% | 30-70% | over 70% |
|-------------|-------|--------|--------|----------|

| LIFE FORM | TREES | | | MALLEES | |
|------------------|---|---|---|---|---|
| | over 30m | 15-30m | 5-15m under 5m | over 8m | under 8m |
| |  |  |  |  |  |
| COVER CLASS (%) | | | | | |
| DOMINANT SPECIES | | | | | |
| LIFE FORM | SHRUBS | | | SHRUBS | |
| | over 2m | 2m-1.5m | 1.5-1m | 1-0.5m | under 0.5m |
| |  |  | Open Low Scrub B  |  |  |
| COVER CLASS (%) | | | 2-10 | | |
| DOMINANT SPECIES | | | Ast. aff. fasc. | | |
| LIFE FORM | GRASSES | HERBS | SEDGES | SEDGES | |
| | | | | over 0.5m | under 0.5m |
| |  |  |  | Dense Tall Sedges  |  |
| COVER CLASS (%) | | | | >70% | |
| DOMINANT SPECIES | | | | Leptocarpus? (Baumea juncea) = Schoenus aff. brevis | scap |

4. VEGETATION CONDITION

| | | | |
|---|------------|---|---|
| 1 | 'PRISTINE' | | COMMENTS Old culms of burnt lepto, Astartea regrowth ADJ vehicle tracks abundant on trail which is enlarging & Pampas grass & planted pines in row |
| 2 | EXCELLENT | ✓ | |
| 3 | VERY GOOD | | |
| 4 | GOOD | | |
| 5 | DEGRADED | | |

Note: Horses on all tracks.
too small for horses - AND vehicles
Pines NEED to be removed.

