


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA _____ SITE NUMBER 605N 03
 DATE TRIP 29/11/94 RECORDERS BJK, Jenny Richardson
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____
 = Malcolm Tindler Site 33

Geographic Location Latitude _____ S Longitude _____ E Altitude _____

Reference Map _____

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil humus rich sand Colour grey black
 Exposed rock type _____ % surface _____

Sub-surface Soil _____ Colour _____
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter	% cover	Bare Ground	% cover
Depth	cm		
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)			10-30%		
DOMINANT SPECIES			Mel. priess.		
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
					
COVER CLASS (%)			2-10%	2-10%	
DOMINANT SPECIES			Adj. aces Ac. pulchella Leg. ciliata	Hyp. angust	
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
					
COVER CLASS (%)		30-70%			10-30%
DOMINANT SPECIES		Dhleb. ciliata Stylid repens			Lepyrodia? macra

4. VEGETATION CONDITION

1	'PRISTINE'	<p align="center">COMMENTS</p> <p align="center">Track has been cleared, obvious signs of disturbance - children's cubby & materials for manufacture, trampling.</p>
2	EXCELLENT	
3	VERY GOOD ✓	
4	GOOD	
5	DEGRADED	

