

(X) = BJK

Remnant 33

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA _____ SITE NUMBER 905N φ8 = MET 39

DATE TRIP 3/12/94 RECORDERS BJK

DATE TRIP _____ RECORDERS _____


DATE TRIP _____ RECORDERS _____

BOTANIST _____

1. LOCATION of the QUADRAT

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.




Road Location Nicholson Rd

Geographic Location Latitude _____ S Longitude _____ E Altitude _____

Reference Map _____

Photograph _____ Photographer's Name _____ Photo No _____

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil clay sand Colour grey/brown

Exposed rock type _____ % surface _____

Sub-surface Soil clay Colour grey/brown

Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter Depth 2 % cover _____

Bare Ground %cover _____

Depth ? cm

Note: 'bare patches' would be covered with annuals.

GOSN 08
3/12/94






BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only




From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.




Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

LIFE FORM	TREES			MALLEES	
	over 30m	10-30m	under 10m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					

LIFE FORM	SHRUBS		SHRUBS
	over 2m	2m-1m	under 1m
			
COVER CLASS (%)		30-70	
DOMINANT SPECIES		Actinostrobilus Kunzea recurva Hakea varia	

Actino would get to here

Few individuals this height mostly regrowth fire 3-5 years

LIFE FORM	GRASSES	HERBS	SEDGES	OTHER
				
COVER CLASS (%)		? 10-30	2-10%	10-30
DOMINANT SPECIES		Centropogon Pogon	Achras	aristatus & leptocarpus

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS Mostly burnt ~ 3-5 yrs but NE corner ~ 1-2 years
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

