


**BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only**

BUSHLAND AREA \_\_\_\_\_ SITE NUMBER CosN 09  
 DATE TRIP 3/12/84 RECORDERS BJK  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

**1. LOCATION of the QUADRAT**

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

**Mud Map** Draw a sketch of the location of the site below.




Road Location Nicholson Rd

Geographic Location Latitude \_\_\_\_\_ S Longitude \_\_\_\_\_ E Altitude \_\_\_\_\_  
 Reference Map \_\_\_\_\_

Photograph \_\_\_\_\_ Photographer's Name \_\_\_\_\_ Photo No \_\_\_\_\_

**Topographic position** Circle position of site on the transect (alter the transect if necessary)



**2. SITE DATA** Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sandy clay/loam Colour grey  
 Exposed rock type \_\_\_\_\_ % surface \_\_\_\_\_

Sub-surface Soil \_\_\_\_\_ Colour \_\_\_\_\_  
 Rock type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage well mod poor depth water \_\_\_\_\_ cm Wet all year winter/spring

Litter	50	% cover	Bare Ground	0	% cover
Depth	215	cm			


























**BUSHLAND PLANT SURVEY RECORDING SHEET 2 - use pencil only**

**3. VEGETATION STRUCTURE AND COVER**

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

		TREES			MALLEES	
		over 30m	10-30m	under 10m	over 8m	under 8m
LIFE FORM	30m		Scattered up to 2-10% 	 		
	10m					
COVER CLASS (%)						
DOMINANT SPECIES			Marri Mel. priess.			
		SHRUBS		SHRUBS		
		over 2m	2m-1m	under 1m		
LIFE FORM	2m	  	  	   		
	1m					
COVER CLASS (%)		2-10% → 30-70%				
DOMINANT SPECIES		Acacia saligna x Act pyramidals (adj to this height) up to 30-70%				Pari ellip, Hyp ang, Act. pyr. x Act. sal still in this layer as Act
		GRASSES	HERBS	SEDGES	OTHER	
LIFE FORM	1m	 	   	>0.5m   	Sedges <0.5m	
COVER CLASS (%)		2-10%	2-10	10-30%	10-30%	
DOMINANT SPECIES		Amphi (sup)	Pot occ (sup)	Lepto long Cynth aranea	Lepyrodia, Lox fas Lox pub	

**4. VEGETATION CONDITION**

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	Area subject to repetitive fire every 2-5 years tree height affected by these, Marri's relatively young
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

