


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA GUILDERTON REG PK SITE NUMBER GUILD03
 DATE TRIP 12-10-95 RECORDERS BJK, NCT, BMH
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 1 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____

Geographic Location Latitude 31°21.698 S Longitude 115°32.031 E Altitude Reference Map EPE 67 mt.

Photograph _____ Photocracher's Name BMH Photo No 25

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type sand Colour cream
 Exposed rock type limestone % surface 30-70

Sub-surface Soil type as above Colour _____
 Rock type limestone depth to rock 0-70+

Drainage well mod poor depth water cm Wet all year winter/spring

Litter 2-10 % cover _____ Bare Ground 30-70 %cover _____
 Depth 0.5 to 1 cm
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

| LIFE FORM | TREES | | | MALLEES | |
|------------------|---|---|--|--|---|
| | over 30m | 15 - 30m | 5 - 15m under 5m | over 8m | under 9m |
| |  |  |  |  |  |
| COVER CLASS (%) | | | | | |
| DOMINANT SPECIES | | | | | |
| LIFE FORM | SHRUBS | | | SHRUBS | |
| | over 2m | 2m - 1.5m | 1.5 - 1m | 1-0.5m | under 0.5m |
| |  |  |  |  |  |
| COVER CLASS (%) | | | | 10-30 | 10-30 |
| DOMINANT SPECIES | | | | Med acer Pinalea herb. leuc pan | cryptandra nitida Acacia lasio Tersoonia brev. |
| LIFE FORM | GRASSES | HERBS | SEDGES | SEDGES | |
| | Open Grasses | Open Herbs | | over 0.5m | under 0.5m |
| |  |  |  |  |  |
| COVER CLASS (%) | 10-30 | 10-30 | | | 2-10 |
| DOMINANT SPECIES | *Ptilaena mich *Bromus diand Stipa Hed. | Conostylis cordicava Lomondra maritima Acanth priesli | | | Lox Glex |

4. VEGETATION CONDITION

| | | |
|---|-------------|----------|
| 1 | 'PRISTINE' | COMMENTS |
| 2 | EXCELLENT | |
| 3 | VERY GOOD ✓ | |
| 4 | GOOD | |
| 5 | DEGRADED | |

