


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA GUILDERTON REC PK SITE NUMBER GUILD 04  
 DATE TRIP 12-10-95 RECORDERS BTK BMH NCT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location \_\_\_\_\_

Geographic Location Latitude 31° 21' 658" S Longitude 115° 32' 014" E Altitude \_\_\_\_\_

Reference Map \_\_\_\_\_

EPE 72 m


Photograph \_\_\_\_\_

Photographer's Name \_\_\_\_\_

BMH

Photo No 26

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	flat	<u>gentle</u>	steep	Aspect	N	NE	E	<u>SE</u>	S	SW	W	NW
Surface Soil	sand							Colour	pale brown			
Exposed rock	type							% surface				
Sub-surface Soil	sand							Colour	yellow			
Rock	type							depth to rock				
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	10-30 % cover							Bare Ground	← 2 % cover			
	Depth 1 leaf to 1 cm											

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 9m	under 9m
COVER CLASS (%)			2 & 10		
DOMINANT SPECIES			<i>B. attenuata</i>		
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
			Heath B 		
COVER CLASS (%)			30-70		
DOMINANT SPECIES			<i>Rhag. barri</i> <i>Conospor. stoeck</i> <i>mel. acer</i> <i>Dal. divar</i>	<i>ssp. stoeck.</i>	
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
	Very open grasses	Herbs	over 0.5m	under 0.5m	
COVER CLASS (%)	2-10	30-70		2-10	
DOMINANT SPECIES	<i>Stipa flaves.</i> <i>Bromus diand.</i>	<i>Conostylis canalicans</i> <i>Millotia tenui.</i> <i>Heliophylla pus</i> <i>Lonandria maritima</i>		<i>Lox flax</i> <i>Schoenus grand.</i> <i>Lepid. arg.</i>	

4. VEGETATION CONDITION

1 'PRISTINE'		COMMENTS Adj areas Lupino / clover / Bromus / Heliophila layer from past grazing in swales
2 EXCELLENT	✓	
3 VERY GOOD	✓	
4 GOOD		
5 DEGRADED		



