

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILDERTON REEF SITE NUMBER GUILD 05  
 DATE TRIP 12-10-95 RECORDERS BJK, BMH, NCT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 1 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location \_\_\_\_\_

Geographic Location Latitude 31.21.634S Longitude 115.031.990 E Altitude ± 111m  
 Reference Map \_\_\_\_\_

Photograph \_\_\_\_\_ Photocracher's Name BMH Photo No 28



2. SITE DATA Circle the correct response.

Slope	<u>flat</u> gentle steep	Aspect	N NE E SE S SW W NW
Surface Soil	<u>Sand</u>	Colour	<u>brown</u>
Exposed rock	type _____	% surface	_____
Sub-surface Soil	<u>Sand</u>	Colour	<u>yellow</u>
Rock	type _____	depth to rock	_____
Drainage	<u>well</u> mod poor depth water	cm	Wet all year winter/spring
Litter	<u>30-70</u> % cover	Bare Ground	<u>2-10</u> % cover
	Depth <u>up to 2</u> cm		















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushtand Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

	TREES			MALLEES		
	over 30m	15-30m	5-15m under 5m	over 9m	under 9m	
LIFE FORM						
COVER CLASS (%)						
DOMINANT SPECIES						
					30m	
					10m	
		SHRUBS			SHRUBS	
		over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
LIFE FORM						
COVER CLASS (%)			70+			
DOMINANT SPECIES			Conostylis Cala. quad. Mel. ac.			
						2m
						1m
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM						
COVER CLASS (%)	2-10	30-70				30-70
DOMINANT SPECIES	Stipa flav. *Bromus diand.	Conostylis radicans Milotia len. Lom maist				Lox flex
						1m

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	✓
4	GOOD	
5	DEGRADED	

Open patches Mel. pusilla / Conostylis (as the all sites except 62) Bromus



