


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA GUILDERTON REG PK SITE NUMBER GUILD 08  
 DATE TRIP 12-10-95 RECORDERS BTK, BMH, NCT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_


From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 1 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location \_\_\_\_\_  
 Geographic Location Latitude 31° 20.960 S Longitude 115° 31.690 E Altitude  
 Reference Map \_\_\_\_\_ ERE ± 40m  
 Photograph \_\_\_\_\_ Photocraher's Name BMH Photc No 13



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW  
 Surface Soil sandy clay Colour grey  
 Exposed rock type \_\_\_\_\_ % surface \_\_\_\_\_  
 Sub-surface Soil A clay Colour \_\_\_\_\_  
 Rock type \_\_\_\_\_ depth to rock \_\_\_\_\_  
 Drainage well mod poor depth water \_\_\_\_\_ cm Wet all year winter/spring  
 Litter 10-30 % cover \_\_\_\_\_ Bare Ground 2-10 % cover \_\_\_\_\_  
 Depth 1 leaf to 2 cm
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of W.A. Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30 - 70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 9m	under 9m
			 low woodland B		
COVER CLASS (%)			10-30		
DOMINANT SPECIES			Nuytsia florib. Bank menz Bank atten		
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
		Open low Scrub A 	Open low Scrub B 	Low Heath C 	
COVER CLASS (%)		2-10	2-10	30-70	
DOMINANT SPECIES		Acacia saligna Albros. humilis	Maer. red Xanth. prec.	Hibb hys	
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
	over 0.5m	over 0.5m	over 0.5m	over 0.5m	under 0.5m
		Open Herbs 			
COVER CLASS (%)	2-10	10-30			
DOMINANT SPECIES	*Briza max	Brachyc. iber Sinoxerus huri Podal. graph			

\*Ursinia artem  
\*Hypochaeris glab

4. VEGETATION CONDITION

	COMMENTS
1 'PRISTINE'	
2 EXCELLENT	
3 VERY GOOD	lot of Banksia seedlings
4 GOOD	Annual layer 50-50 native/ferns most cover from Urs anth. hyp glab
5 DEGRADED	Briza max. Appears to be seasonally wet.



