


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA KENSINGTON BUSHLAND SITE NUMBER KENS 01  
 DATE TRIP 20-9-95 RECORDERS BJK NCT SAE  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 4 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location \_\_\_\_\_

Geographic Location Latitude 31°59'28.1" S Longitude 115°53'24.5" E Altitude \_\_\_\_\_

Reference Map \_\_\_\_\_

Photograph \_\_\_\_\_ Photographer's Name SAE Photo No 11

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type sand Colour grey  
 Exposed rock type \_\_\_\_\_ % surface \_\_\_\_\_

Sub-surface Soil type sand Colour yellow  
 Rock type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage well mod poor depth water \_\_\_\_\_ cm Wet all year winter/spring

Litter	<u>70+</u>	% cover	Bare Ground	<u>42</u>	% cover
Depth	_____	cm			















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class            2-10%            10-30%            30-70%            over 70%

		TREES			MALLEES	
		over 30m	15-30m	5-15m under 5m	over 8m	under 8m
LIFE FORM						
COVER CLASS (%)				30-70		
DOMINANT SPECIES				<i>E. marginata</i> <i>B. menz</i> <i>C</i>		
		SHRUBS			SHRUBS	
		over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
LIFE FORM						
COVER CLASS (%)						30-70
DOMINANT SPECIES						<i>Leuc. canostachy</i> <i>Hibb hyp.</i>
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM			<i>open Herbs</i> 			<i>Open Low Sedges</i> 
COVER CLASS (%)			10-30			10-30
DOMINANT SPECIES			<i>Pat occ</i>			<i>Mesomet. pseudo</i>

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD ✓	a lot of tracks, dogs running freely, * <i>Ursina</i> x <i>Hyp</i> x <i>briza</i> in herbaceous Annual layer 2-10% Vile dumped soil ( <i>Oralis</i> , <i>Aney</i> , <i>Cobula</i> , <i>clover</i> )
4	GOOD	
5	DEGRADED	



