


QUADRAT No. 13B VEGETATION TYPE \_\_\_\_\_  
 DATE FIRST TRIP 13/9/92 VOLUNTEERS JEFF MARY  
 DATE SECOND TRIP 7/11/93 VOLUNTEERS \_\_\_\_\_  
 BOTANIST NEIC

1. LOCATION of the QUADRAT

a. Mud Map Draw a sketch of the location of the quadrat the back of this sheet. →

b. Photograph Photographer's name \_\_\_\_\_ COND 2.0

c. Topographic position - Circle position of quadrat



Keighery and Keighery, 1990  
Adapted from Griffin and Keighery, 1989  
MOORE RIVER to JURIE SANDPLAIN  
SURVEY. WILDFLOWER SOCIETY of WA

2. SITE DATA - Circle the correct response

Slope flat gentle steep Aspect N NE E SE S SW W NW

% Bare ground 40 Drainage well mod poor Wet All year winter/spring

Litter (% cover) 20 Surface soil GREY SAND Sub-surface soil GREY SAND

3. VEGETATION STRUCTURE AND COVER Record appropriate cover class Van Gool = 82 EG = 58

Cover Class - percentage classes

LIFE FORM	TREES	<u>BANKSIA</u>		MALLEES	
	or > 15m 5-15m 	Under 5m		MALLEE SHRUB less than 8m	MALLEE TREE 8m or more
COVER CLASS (%)	> 15m 5-15m	30-50			

LIFE FORM	SHRUBS	<u>Mel. thyrse</u> <u>STIRLINGIA</u> <u>Schottia</u>				
	over 2m 	2.0-1.5m	1.5-1.0m	1.0m - .5m	under 5m	
COVER CLASS (%)		10-20		20-30		

Height (metres)

LIFE FORM	BUNCH GRASSES	HERBS	SEDGES	
	under .5m 	under .5m (except creepers) 	over .5m	under .5m
COVER CLASS (%)		2-10	2-3	2-10



CONDITION

2- Scattered weeds, adjacent? dieback  
 Barkesia death.



Track

Dev. physodes

Pole 175 #DJ to N  
depression Mouri

Adl eggs

174/175/