


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA M53 - φ3 SITE NUMBER M53 - φ3
 DATE TRIP 4-11-94 RECORDERS BJK, NCT, JJA
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude 31° 58.617' S Longitude 115° 59.299' E Altitude _____
 Reference Map Not from GPS

Photograph Photographer's Name NCT Photo No 5



2. SITE DATA Circle the correct response.

Slope flat gentle steep **Aspect** N NE E SE S SW W NW

Surface Soil sandy loam **Colour** grey
Exposed rock type _____ % surface

Sub-surface Soil sand **Colour** pale yellow
Rock type _____ depth to rock

Drainage well mod poor depth water cm **Wet** all year winter/spring

Litter 1φ - 3φ % cover **Bare Ground** << 2 % cover
 Depth 1 leaf cm

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m ✓ (Open Woodland)	5-15m under 5m	over 8m	under 8m
COVER CLASS (%)		2-10%			
DOMINANT SPECIES		Tarrak Euc. maitg.			
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
	(Open Scrub) 		Open Low Scrub 		Low Heath
COVER CLASS (%)	2-10%		2-10	2-10	30-70
DOMINANT SPECIES	Hakea rusif		Lambertia multi	Allocas. humil	Hibbertia hyp Stirlingia latif Petroph. linear
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
		Open Herbs.		over 0.5m	under 0.5m
				Tall Sedges	
COVER CLASS (%)		10-30 2-10		30-70	
DOMINANT SPECIES		Stypandra mited		Meso. pseudostig Ternaria (cap) oct Cyperaceae claud	

not on list

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

Ad 1. Vest area

- o *Aethrosphaera* acuta,
- o *Sclerium olivaceum*
- o ISO drum.
- o *Heteroconcha*.
- o *Danthonia* ? ~~sp~~ sp.
- o *Tricoryne fenestrata*

1 meter deep beside
Green Beach

- o *Calyptrix aurea*
- o *Scaevola glauca*.
- o *Loxostoma expansa*