


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA MAIDA VALE RESERVE SITE NUMBER MAIDA 01
 DATE TRIP 27-9-95 RECORDERS BTK, NGT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 54 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____

Geographic Location Latitude 31°56'869" S Longitude 116°01'329" E Altitude ? 12m
 Reference Map _____

Photograph Photographer's Name NGT Photo No 22

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil clayey silty sand Colour brown
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour yellow
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	<u>2-10</u>	% cover	Bare Ground	<u><2</u>	% cover
Depth	<u>1 leaf</u>	cm			
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of W.A. Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
					
			Low Scrub B	Dwarf Scrub C	
COVER CLASS (%)			10-30	10-30	
DOMINANT SPECIES			Xanthorrhoea Allocasuarina Lamb. multi	Hibiscus Boss. elliptica Lobelia	
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
		Open Herbs		over 0.5m	under 0.5m
					
COVER CLASS (%)		10-30 30-70	2-10		30-70
DOMINANT SPECIES		Dryas obliqua Conosyris set	Cyathus clandestinus		Mesomela praecox

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	perhaps drought affected
3	VERY GOOD	✓ few weeds, little cover
4	GOOD	
5	DEGRADED	

