


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA MOORRE R NR SITE NUMBER MRNP MOORE 04
 DATE TRIP 13/10/94 RECORDERS BJK, NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Moore River Nature Reserve S Drag track 1.3 kms boundary gate

Geographic Location Latitude 31° 10.8' S Longitude 115° 44.4' N Altitude ±169'
 Reference Map NT

Photograph Photographer's Name NT Photo No 13

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour grey/cream
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour cream
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter	<u>50%</u> % cover	Bare Ground	% cover
Depth	cm		

Floodplain
B/P2
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

TREES			MALLEES		
over 30m	15-30m	5-15m under 5m	over 8m	under 8m	
		open low woodland A 			
LIFE FORM				30m 10m	
COVER CLASS (%)		2-10%			
DOMINANT SPECIES		bank att bank mess			
SHRUBS			SHRUBS		
over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m	
			Low Heath C. 		
LIFE FORM				2m 1m	
COVER CLASS (%)			30-70%		
DOMINANT SPECIES					
GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
				Very open low sedges 1m	
LIFE FORM					
COVER CLASS (%)				2-10%	
DOMINANT SPECIES				Meso pseudo Schoenha curvi	

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT *	Few scattered weeds,
3	VERY GOOD	some cow traffic adjacent but single piece
4	GOOD	dung with weed (last) kangaroo diggings
5	DEGRADED	and dung. Adj paddock traffic

