


Swan Coastal Plain Survey - SURVEY RECORDING SHEET

QUADRAT No. MUND 4 VEGETATION TYPE SHRUB HEATH
 DATE TRIP 03 Nov. 1991 BOTANIST G. KEIGHERY
 VOLUNTEERS HELEN, KELB, ROD, RAFF, ROW.

MUD

1. LOCATION of the QUADRAT

- a. Mud Map Draw a sketch of the location of the quadrat the back of this sheet →
- b. Photograph Photographer's name _____
- c. Topographic position - Circle position of quadrat



Keighery and Keighery, 1990
 Adapted from Griffin and Keighery, 1989
 MOORE RIVER to JURIE SANDPLAIN
 SURVEY. WILDFLOWER SOCIETY of WA

2. SITE DATA - Circle the correct response

Slope flat gentle steep Aspect N NE E SE S SW W NW

% Bare ground 2-10 Drainage well mod poor Wet All year winter/spring

Litter (% cover) 2-10 Surface soil BROWN CLAY Sub-surface soil LATERITE IRONSTONE

3. VEGETATION STRUCTURE AND COVER. Record appropriate cover class

| | | | | | | | | | | |
|----------------------------------|-------------|-----------------|--|-----------------|--|-----------------|--|-----------------|--|-----------------|
| Cover Class - percentage classes | over 70% | TREES | | MALLEES | | SHRUBS | | SHRUBS | | Height (metres) |
| | 50-70% | N/A. | | N/A. | | SHRUBS | | SHRUBS | | |
| | 30-50% | LIFE FORM | | LIFE FORM | | LIFE FORM | | LIFE FORM | | |
| | 20-30% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 10-20% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 2-10% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |
| | 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | |

| | | | | |
|-------------|-----------------|--|-----------------|--|
| over 70% | TREES | | MALLEES | |
| 50-70% | N/A. | | N/A. | |
| 30-50% | LIFE FORM | | LIFE FORM | |
| 20-30% | COVER CLASS (%) | | COVER CLASS (%) | |
| 10-20% | COVER CLASS (%) | | COVER CLASS (%) | |
| 2-10% | COVER CLASS (%) | | COVER CLASS (%) | |
| 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | |

| | | | | |
|-------------|-----------------|--|-----------------|--|
| 20-30% | SHRUBS | | SHRUBS | |
| 10-20% | LIFE FORM | | LIFE FORM | |
| 2-10% | COVER CLASS (%) | | COVER CLASS (%) | |
| 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | |

| | | | | | | | | |
|-------------|-----------------|--|-----------------|--|-----------------|--|-----------------|--|
| 0% under 2% | MAT PLANTS | | BUNCH GRASSES | | HERBS | | SEDGES | |
| 0% under 2% | LIFE FORM | | LIFE FORM | | LIFE FORM | | LIFE FORM | |
| 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | |
| 0% under 2% | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | | COVER CLASS (%) | |

4 NOV 1950



CRANES, AT THE LATEST SOCIETY, HAVE
 LARGELY BEEN IN A STATE OF
 DEPRESSION SINCE THE WAR. THE
 REASON FOR THIS IS THE
 DEPRESSION OF THE MARKET SINCE 1950

Vertical (Reference)

| 00 | 10 | 20 | 30 | 40 | 50 | 60 | 70 |
|----|----|----|----|----|----|----|----|
| 00 | 10 | 20 | 30 | 40 | 50 | 60 | 70 |

Vertical (Reference)

