

Persoonia eliptica


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA NORMAN RD SITE NUMBER NORM02
 DATE TRIP 1-11-95 RECORDERS BJK, NGT, TS
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 21 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location South West Hwy / Norman Rd

Geographic Location Latitude 32°16'20" S Longitude 118°00'803 E Altitude
 Reference Map E.P.E ± 7 km

Photograph Photographer's Name TS Photo No 15



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW (W) NW

Surface Soil type clayey sand Colour dark brown
 Exposed rock type laterite pebbles % surface 22

Sub-surface Soil type clayey sand Colour yellow/orange
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter 10-30 % cover Bare Ground 22 % cover
 Depth upto 1 cm

termit mound















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 9m	under 9m
			 Low Woodland A		
COVER CLASS (%)			10 → 30		
DOMINANT SPECIES			<i>E. marya ssp eleg.</i>		
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
			 Low Scrub B		 Dwarf Scrub
COVER CLASS (%)			10 → 30		10 → 30
DOMINANT SPECIES			<i>Xanth. acanth.</i> <i>Hakea stenocarpa</i>		<i>Grey wilsonii</i> <i>Dryandra kip.</i> <i>Grey bipinat</i> <i>Dryandra cimo</i>
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
				over 0.5m	under 0.5m
					 Low Sedges
COVER CLASS (%)					30-70
DOMINANT SPECIES					<i>Lepid ang</i> <i>Tetr oct.</i>

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS <i>Jarrah seedlings</i> <i>alot of kangaroos</i> <i>virtually no weeds</i>
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

A05 Bunslope

Stylo ten

Kingia australis

Habea caricolata

Stylo glauca