


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA NORMAN ROAD SITE NUMBER NORM 04
 DATE TRIP 9-11-95 RECORDERS BJK, NCT, TS, JE
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 24 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location NORMAN RD

Geographic Location Latitude 32° 15' 870 S Longitude 115° 59' 792 E Altitude
 Reference Map EPE ± 44m

Photograph _____ Photographer's Name JE Photo No 12

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil Sandy loam Colour _____
 Exposed rock type quartz + laterite stones % surface 2-10

Sub-surface Soil _____ Colour yellow
 Rock type laterite depth to rock 15 cm

Drainage wet mod poor depth water _____ cm Wet all year winter/spring

Litter	<u>30-70</u> % cover	Bare Ground	<u>< 2</u> % cover
Depth	<u>up to 1</u> cm		





















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m	over 8m	under 9m
LIFE FORM			Forest 	 		
COVER CLASS (%)			30-70			
DOMINANT SPECIES			<i>E. lanepodii</i> <i>E. marg</i>			
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM		 				
COVER CLASS (%)						2 → 10
DOMINANT SPECIES						<i>Dryandra ornata</i> <i>Dryandra loderi</i> (<i>alica</i>)
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM		 	 	 		
COVER CLASS (%)		2 → 10	2 → 10			30 → 70
DOMINANT SPECIES		<i>Neurocline cleopatra</i> <i>Wauzria</i>	<i>Hyalospora cotula</i>			<i>Cyperus aure</i> <i>Mesochloa</i> <i>Tetraria octandra</i>

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	✓
4	GOOD	
5	DEGRADED	

MOSS

Jarrahan seedlings
lots of tree seedlings
grazing on shrubs roos + sheep
mainly

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE
 Label each plant with plants number, site code, date and plant's name or working name if required
 Record on Sheet

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

SITE No NORM 04
 Date 9/11/95

From 'Bushland Plant Survey' written by
 B. Keighery (1994) and published by the
 Wildflower Society of WA (Inc.), PO Box
 64 Nedlands WA 6008.

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Euc. macr. ssp. elag.</i>				HERBS				<i>Flon. rosea</i>			
<i>Euc. land. pooliki</i>				<i>Quineba uvicola</i>				<i>Herem. hueg</i>			
				<i>Dras. polkera</i>				<i>Cal. flav.</i>			
A03 Marr				<i>Dras. v. v. v. (dead)</i>				<i>Stylid. bulb. (grazed)</i>			
Nightsia				<i>Agrost. scab.</i>				<i>Them. laxum</i>			
MALLEES				<i>Cham. conym.</i>				<i>Hyp. globid.</i>			
				<i>Thlas. arvensis</i>				<i>Pat. juncea</i>			
				GRASSES				<i>Thys. thys. (red)</i>			
				<i>Neurochne alba</i>				<i>Good. micranth.</i>			
				<i>Ara. can.</i>				<i>Stylid. repens</i>			
SHRUBS				<i>Danthonia pilosa</i>				<i>Borya suspirata = sphero.</i>			
<i>Dry. armata</i>				<i>Amphipogon debilis</i>				<i>Arctostem. subter.</i>			
<i>Yanth. acantha</i>				<i>Birch. minor</i>				SEDGES			
<i>Dry. nivea (vsp 11/95)</i>				<i>Brida. max.</i>				<i>Meso. tobay.</i>			
<i>Stew. wilsonii</i>				<i>Erhart. cul.</i>				<i>Stet. at.</i>			
<i>Kingia auct. (A03) grazed.</i>				HERBS				<i>Cyath. avenacea</i>			
<i>Hedra hispema? var. grand.</i>				<i>Stys. anth.</i>				<i>Lepid. angust.</i>			
<i>(Oval. leaves) - s. v. v.</i>				<i>Hyel. cost.</i>				<i>Cento. arist.</i>			
<i>Halen. auriculata</i>				<i>Leucemia squarosa</i>				<i>Appl. cyp.</i>			
<i>Acaacia (J. app. 'thin')</i>				<i>Levanderia pusilla</i>							
<i>Xanth. graebii</i>				<i>Woitric. parv.</i>							
				<i>Arcto. calendula</i>							
				<i>Homa. roma.</i>							
				<i>Stylid. = Stylid. bulb.</i>							
				<i>Lomandra herm.</i>							
				<i>Trachy. pilosa</i>							
				<i>Lomandra sericea</i>							
				<i>Thys. spart. (sterile)</i>							
				<i>Stylid. pilos.</i>							
				<i>as S. pilosum</i>							

6/11/95

