


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA NORMAN RD SITE NUMBER NORM 06
 DATE TRIP 9-11-95 RECORDERS BJK, NCT, TS, JK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 1 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____

Geographic Location Latitude 32° 15.782' S Longitude 116° 00.391' E Altitude _____
 Reference Map EPE ± 50m

Photograph _____ Photographer's Name TS Photo No 16

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sandy loam Colour brown
 Exposed rock type laterite pebbles + rock % surface 70+

Sub-surface Soil _____ Colour _____
 Rock type laterite depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter	<u>10-30</u>	% cover	Bare Ground	<u>30-70</u>	% cover
Depth	<u>up to 5</u>	cm			



















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER


For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%


LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 9m	under 9m
		Forest 	 		
COVER CLASS (%)		30-70			
DOMINANT SPECIES		<i>E. calophylla</i>			
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
	Thicket  				
COVER CLASS (%)	30-70				2-10
DOMINANT SPECIES	<i>Dryandra sessilis</i> <i>Trimalium floribundum</i>				<i>Dryandra amata</i>
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
		Very Open Herbs 	 	Very open low sedges  	
COVER CLASS (%)		2-10			2-10
DOMINANT SPECIES		<i>Hyalospenna ciliata</i> <i>Wauzria suav.</i> <i>Stylidium (boorwanna) breviscapum</i> + other <i>Stylidium</i> sp.			<i>Lepid. scabra</i>

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS alot of moss erosion alot of seedlings
2	EXCELLENT	
3	VERY GOOD ✓	
4	GOOD	
5	DEGRADED	



1/2 cork
Xyl. occid
Gut. dead (on egg)
faint. post
Ship in
green



Bank. great
green eye shot
leaves

Creakline
Euc. marks
Euc. marks
Acacia
Yucca lisa
Hk. arca