


QUADRAT No. NINE 02 VEGETATION TYPE _____
 DATE TRIP 12/11/93 BOTANIST BJK/NG/MC
 VOLUNTEERS _____
 DATE TRIP 12/11/93 BOTANIST NG MC
 VOLUNTEERS _____

Keighery and Keighery, 1990
 Adapted from Griffin and Keighery, 1990
 MOORE RIVER to JURIE SANDPLAIN
 SURVEY. WILDFLOWER SOCIETY of WA

1. LOCATION of the QUADRAT


a. Mud Map Draw a sketch of the location of the quadrat:



b. Road Location	c. Latitude	Longitude
	<u>32° 44' 19.1"</u>	<u>115° 46' 40.6"</u>
		Altitude
		<u>100 ± 100 m</u>

d. Photograph Photographer's name NG Photo No 19

e. Topographic position - Circle position of quadrat



2. SITE DATA - Circle the correct response

Slope flat gentle steep

Aspect

N	NE	E	SE	<input checked="" type="checkbox"/> S	SW	W	NW
---	----	---	----	---------------------------------------	----	---	----

Surface soil pale grey sand

Sub-surface soil white sand

Wells - deep = 62
 Environ bed = bas.

Drainage well mod poor

Wet All year winter/spring

Litter (% cover) 80%

% Bare ground 2%

P.T.O.

3. VEGETATION STRUCTURE AND COVER

Record appropriate cover class

Cover Class - percentage classes

0%	under 2%	2-10%	10-20%	20-30%	30-50%	50-70%	over 70%
----	----------	-------	--------	--------	--------	--------	----------

LIFE FORM	TREES	MALLEES		
COVER CLASS (%)	>15m 5-15m 20-30%			
Dominant Species	Bank oak Bank illi			

LIFE FORM	SHRUBS	use the height classes indicated				SHRUBS
COVER CLASS (%)	2-10%			2-10%	30-50%	
Dominant Species	Kun eric			Mel thy	Hib lyp	

LIFE FORM	BUNCH GRASSES	HERBS	SEDGES	
COVER CLASS (%)		10-20%		10-20
Dominant Species		Phlob cil		Lox. flex

4. VEGETATION CONDITION

PRISTINE		Comments Herbs impacted by weeds *Hyp glob
Excellent	✓	
VERY GOOD	✓	
GOOD	✓	
DEGRADED		

