


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA PERTH AIRPORT SITE NUMBER PERTH 09  
 DATE TRIP 24-8-95 RECORDERS BJK, NOT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude 31° 57.221' S Longitude 115° 57.091' E Altitude \_\_\_\_\_  
 Reference Map \_\_\_\_\_ *NOT BY GPS*  
*no batteries*

Photograph Photographer's Name BJK Photo No 12-14



2. SITE DATA Circle the correct response.

Slope	<input checked="" type="radio"/> flat <input type="radio"/> gentle <input type="radio"/> steep	Aspect	<input type="radio"/> N <input type="radio"/> NE <input type="radio"/> E <input type="radio"/> SE <input type="radio"/> S <input type="radio"/> SW <input type="radio"/> W <input checked="" type="radio"/> NW
Surface Soil	<u>Sand</u>	Colour	<u>pale grey</u>
Exposed rock	type _____	% surface	_____
Sub-surface Soil	<u>Sand</u>	Colour	<u>grey</u>
Rock	type _____	depth to rock	_____
Drainage	<input checked="" type="radio"/> well <input checked="" type="radio"/> mod <input type="radio"/> poor	depth water	cm <u>Wet all year</u> <u>winter/spring</u>
Litter	<u>30-70</u> % cover	Bare Ground	<u>2-10</u> % cover
	Depth <u>1</u> cm		















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)			10-30		
DOMINANT SPECIES			<i>B. menziesii</i> <i>B. attenuata</i> <i>B. illiafolia</i> (scattered)		
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
					
COVER CLASS (%)		2-10	30-70 mixed		
DOMINANT SPECIES		<i>Jacksonia densa</i>	<i>Eriostemon sacata</i> <i>Hovea tr</i> <i>Gompholobium form</i>		
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	
				under 0.5m	
					
COVER CLASS (%)	10-30?	30-70		30-70	
DOMINANT SPECIES	<i>Briza max</i>	<i>Paters. occ.</i> <i>Laxmannia ram.</i> <i>Phleb. ciliata</i> <i>Dasyogon brom</i>		<i>Schoenus curvi</i> <i>Alex nitens</i>	

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS weedy grass layer Adenanthos only small, none mature, fire in last 3-4 yrs + probs every 3-4yrs before that.
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



