


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA LAKE ANJAR SITE NUMBER PINJ 13
 DATE TRIP 16/11/94 RECORDERS JJA NCT
 DATE TRIP 12/12/94 RECORDERS BJK, JJA
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT


From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Mud Map Draw a sketch of the location of the site below.



Road Location _____
 Geographic Location Latitude 31°39.4' S Longitude 115°50.1' E Altitude 43m
 Reference Map _____ EPE - 32m
 Photograph _____ Photographer's Name NCT Photo No 17

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW
 Surface Soil sandy loam Colour brown
 Exposed rock type _____ % surface _____
 Sub-surface Soil sand Colour grey
 Rock type _____ depth to rock _____
 Drainage well mod poor depth water _____ cm Wet all year winter/spring
 Litter Depth 70+ % cover _____ Bare Ground zero %cover _____
 Depth 1 leaf cm

Env. Geol. Siph sumpland B3















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.


Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES		
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m	
LIFE FORM			 Low Forest A			30m 10m
COVER CLASS (%)			30-70			
DOMINANT SPECIES			Mel. pruss. E. radiis			
	SHRUBS			SHRUBS		
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m	
LIFE FORM	 Thicket	 Dense Heath A.				2m 1m
COVER CLASS (%)	30-70	70+				
DOMINANT SPECIES	Agonis linear	Azartea affinis Xanth. pre				
	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m	
						
COVER CLASS (%)						
DOMINANT SPECIES						

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS been burnt in last few years
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

? Sylvan's property Lot 4
 Traversed str boundary
 degraded area Nth of fence
 ? recently dammed.



photos
 14, 16 (no
 u/s)

(1) Looks like it's been
 burnt very often virtually
 no understory Zamia +
Xanthorrhoea survive.

Few live adult Banksia
 ? dieback / drought.

Damage from dam construct
 also.

photo 15 of
 dam

(2) BW. in much better condⁿ than
 (1) but still degraded many
 dead Banksias lots of Briza
 + bare ground.