


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA PLANTATION ROAD SITE NUMBER PLANT 03
 DATE TRIP 20-10-95 RECORDERS BTK, NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Plantation Road

Geographic Location Latitude 33° 36.127 S Longitude 115° 33.735 E Altitude _____

Reference Map _____

Photograph _____ Photographer's Name _____ Photo No 4

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour brn/grey
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour grey light/white
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter 30-70 % cover _____ Bare Ground 42 % cover _____
 Depth 1cm to cm

big logs















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushtand Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 9m	under 9m
					
COVER CLASS (%)		10-30			
DOMINANT SPECIES		Jarraah Agonis Alex			
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
					
COVER CLASS (%)	2-10	10-30		2-10	10-30
DOMINANT SPECIES	Kunzea ericifolia	Low Scrub A Mel. acer. Jacks sp Busselton		Xanth. preissii	Dwarf Scrub D Darwinia oed. Leuc. canosteph.
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
				over 0.5m	under 0.5m
					
COVER CLASS (%)		2-10			10-30
DOMINANT SPECIES		Phleb. ciliata Junc. obl. Pater. sonid.			Open low sedges Lyg. barb

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS Adj areas dead Jarraah a few bank illie and bank att ? dieback. Agonis trees offer all suckers.
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

