


BUSHLAND AREA PUNRACK SITE NUMBER PUNR 02  
 DATE TRIP 9-11-95 RECORDERS BJK NG TS JE  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 4 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location KARNUP RD

Geographic Location Latitude 32° 21' 645" S Longitude 115° 56' 484" E Altitude  
 Reference Map EPE ± 4W

Photograph Photographer's Name TS Photo No 21

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope (flat) gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour brown  
 Exposed rock type % surface

Sub-surface Soil ? Colour  
 Rock type depth to rock

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	<u>10-30</u> % cover	Bare Ground	<u>200</u> % cover
Depth	<u>1</u> cm		













BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class            2-10%            10-30%            30 - 70%            over 70%

TREES			MALLEES		
over 30m	15 - 30m	5 - 15m	over 8m	under 9m	
	Woodland	under 5m		30m	
LIFE FORM					10m
COVER CLASS (%)	10 & 30				
DOMINANT SPECIES	E. calophylla				
SHRUBS			SHRUBS		
over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m	
			Open dwarf scrub C		
LIFE FORM					2m
COVER CLASS (%)			2 - 10		
DOMINANT SPECIES			Xanth. preissii Hakea sulc.		
GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m	
	Very open Herbs			Dense Low Sedges	
LIFE FORM					1m
COVER CLASS (%)	2-10			70+	
DOMINANT SPECIES	Patersonia occid. Dampiera lindero Drosera erith.	Rostrio leptocarpus		Lox. pubescens <del>Cephaelis</del> macra Lox. fasc. mesom. tetrag.	

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	✓
4	GOOD	
5	DEGRADED	



