


BUSHLAND AREA CAPEL RESERVE 1167 SITE NUMBER R1167 03  
 DATE TRIP 18-10-95 RECORDERS BTK BMH NCT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 4 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Boyanup Nth Rd

Geographic Location Latitude 33° 25.432 S Longitude 115° 42.490 E Altitude  
 Reference Map EPE156 mt

Photograph \_\_\_\_\_ Photographer's Name BMH Photo No 11

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour orange/brown  
 Exposed rock \_\_\_\_\_ % surface

Sub-surface Soil \_\_\_\_\_ Colour \_\_\_\_\_  
 Rock \_\_\_\_\_ type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage wet mod poor depth water cm Wet all year winter/spring

Litter 70+ % cover Bare Ground zero % cover  
 Depth up to 6 cm
















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30 - 70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
	Tall Woodland 				
COVER CLASS (%)	10-30				
DOMINANT SPECIES	Jarrah				
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
					Low heath $\Delta$ 
COVER CLASS (%)		10 & 30			30-70
DOMINANT SPECIES		Dav. phys Allocas. Kun			Hibb hys Acacia bulch Phyll caly
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
	over 0.5m	over 0.5m	over 0.5m	over 0.5m	under 0.5m
	Grasses 	Herbs 			
COVER CLASS (%)	30-70	30-70			2-10
DOMINANT SPECIES	Stipa Kriegeria	Agrostocernum Pott occ. Tetraria act			Tetraria act

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS looks as though mallee removed ? settlement next to river
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



ADONIA

Tet. laevis

Hibbertia perfoliata

Acacia pulchella Steyerl. DC.

Grevillea mangroveoides VSP

Chorizanthe scorodolifera VSP