


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA Lid Hill SITE NUMBER Lid H. 6  
 DATE TRIP 23.7.95 RECORDERS D. Corby N.  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location Toodyay Rd.

Geographic Location Latitude 31°50.545 S Longitude 116°03.994 E Altitude \_\_\_\_\_  
 Reference Map \_\_\_\_\_

Photograph \_\_\_\_\_ Photographer's Name \_\_\_\_\_ Photo No \_\_\_\_\_

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope	flat	gentle	<u>steep</u>	Aspect	N	NE	E	SE	S	<u>SW</u>	W	NW
Surface Soil	<u>loamy clay</u>							Colour	<u>Black</u>			
Exposed rock	<u>type Granite</u>							% surface	<u>20%</u>			
Sub-surface Soil	<u>brittle, loamy clay</u>							Colour	<u>dark brown</u>			
Rock	<u>type granite</u>							depth to rock	<u>just below surface</u>			
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	<u>75</u> % cover					Bare Ground	<u>5</u> % cover					
	Depth	<u>1-2</u> cm										
















**BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only**

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

**3. VEGETATION STRUCTURE AND COVER**

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30 - 70%      over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
LIFE FORM						
				10-12 metres		
COVER CLASS (%)				10-30		
DOMINANT SPECIES				Matti		
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM						
COVER CLASS (%)		~2%	~2%	10-30%	~10%	<del>2-10%</del>
DOMINANT SPECIES		Habea Peltophloe hiboba	Potio biloba	Dawsonia or Calothamnus qued.	Acacia pulchella	<del>Calothamnus</del>
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM						
COVER CLASS (%)		~2%	2-10%			~2%
DOMINANT SPECIES			Mixed			

**4. VEGETATION CONDITION**

1	'PRISTINE'	COMMENTS
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



