


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA RUSHTON RD SITE NUMBER RUSTL 3  
 DATE TRIP 17-8-95 RECORDERS ALLE, JENNIFER, JACKIE, NICKI  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST BRONWYN

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 4 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location RUSHTON RD. OFF CITARISTON

Geographic Location Latitude 32 03 824 S Longitude 116 01 565 E Altitude \_\_\_\_\_  
 Reference Map 32 03 49 (AM) 116 01 33-9 (AM) 90M (AM)

Photograph \_\_\_\_\_ Photographer's Name BRONWYN Photo No 22



2. SITE DATA Circle the correct response.

Slope	flat	<u>gentle</u>	steep	Aspect	N	NE	E	<u>SE</u>	S	SW	W	NW
Surface Soil	<u>QUARTZITE / LATERITE / GREY SOIL</u>							Colour	<u>GREY</u>			
Exposed rock	type <u>QUARTZITE</u>							% surface				
Sub-surface Soil	<u>LATERITE QUARTZITE</u>							Colour	<u>RED/WHITE</u>			
Rock	<u>LATERITE</u> type							<u>30cm</u> depth to rock				
Drainage	<u>well</u>	mod	poor	depth water	cm	Wet	all year	winter/spring				
Litter	<u>&gt; 70</u> % cover		Bare Ground		<u>&lt; 2</u> % cover							
Depth	<u>1</u> cm											

Position RHS 1















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30 - 70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
					
COVER CLASS (%)	NIL		12-10%	30-70	2-10%
DOMINANT SPECIES			MAARI	LANE POOLET	LANE POOLET
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1-0.5m	under 0.5m
		Heath A 	Heath B 	Dwarf Scrub C 	Low Heath D 
COVER CLASS (%)		30-70%	30-70	10-30%	30-70%
DOMINANT SPECIES		KINEA XANTHOXANT LAMBORNA UNULATA	LAMBORNA		DRYANDRA MUREX HYSEKTA HYL.
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	
	Open Grasses			under 0.5m	
				Open Low Sedges 	
COVER CLASS (%)	10-30%	2-10%		10-30%	
DOMINANT SPECIES					

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



THE UNIVERSITY OF CHICAGO  
DEPARTMENT OF CHEMISTRY  
5408 S. UNIVERSITY AVENUE  
CHICAGO, ILL. 60637  
TEL: 773-936-3700  
FAX: 773-936-3701  
WWW.CHEM.UCHICAGO.EDU

NOTE  
ADD