

BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGA - SOUTH SITE NUMBER WILB 02
 DATE TRIP 8/11/94 RECORDERS BJK
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location coastal Wilbinga track

Geographic Location Latitude 31° 26.8' S Longitude 115° 33.7 E Altitude _____

Reference Map _____ ≈ 25m UGM.

Photograph _____ Photographer's Name B.J.K Photo No 216

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour white
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour white
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter	10	% cover	Bare Ground	10	% cover
Depth	3	cm			

Env. Geol. Qhs

Wetlands not mapped















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
LIFE FORM						
COVER CLASS (%)						
DOMINANT SPECIES						
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1-0.5m	under 0.5m
LIFE FORM					Low heath C. 	
COVER CLASS (%)					30-70% Scaevola crass	
DOMINANT SPECIES					Olear axil W.li. cord.	
		GRASSES	HERBS	SEDGES	SEDGES	
		Very open Low grass		over 0.5m	under 0.5m	
LIFE FORM				Very open tall Sedges 		
COVER CLASS (%)		2-10		2-10		
DOMINANT SPECIES		Spin. long		Iso, Rod.		

4. VEGETATION CONDITION

1	'PRISTINE'		COMMENTS
2	EXCELLENT	✓	
3	VERY GOOD		
4	GOOD		
5	DEGRADED		

