


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINIA SITE NUMBER WILBINIA 3
 DATE TRIP 8.11.94 RECORDERS NCT, JJA
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____

Geographic Location Latitude 31° 27.3' S Longitude 115° 34.9 E Altitude ~30m uam

Reference Map _____

Photograph _____ Photographer's Name NCT Photo No 29

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil Fine sandy loam Colour yellowish/grey
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour white
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter _____ % cover _____
 Depth < 2 cm Bare Ground 24% %cover

Env. Geol: Qhs

Wetlands not mapped






BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only






From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.






3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					

LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
					
COVER CLASS (%)			2%	3φ + 7φ	
DOMINANT SPECIES		<i>cyclops.</i>	<i>Acacia</i> <i>cochl.</i> (3 individual)	<i>Mel. uceosa</i> <i>Leucopogon parvi + race</i> <i>Cryptandra mutila</i>	

LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
	Very open Low Grass	Herbs		over 0.5m	under 0.5m
					
COVER CLASS (%)	2 + 1φ	3φ → 7φ		< 2	
DOMINANT SPECIES	<i>Stipa fla</i> <i>Poa poi</i> <i>Bromus</i>	<i>Open vag</i> <i>Acanthoc. poe</i> <i>Lomandra mar</i> <i>dianthus</i> <i>conostylis cond</i>		<i>Lepidosp. ang</i>	

4. VEGETATION CONDITION

1 'PRISTINE'	COMMENTS Large rabbit warren with three exit holes. Otherwise OK. Kangaroos. Annuals are all cactus i.e. missed some!
2 EXCELLENT	
3 VERY GOOD	
4 GOOD	
5 DEGRADED	

