


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGIA SOUTH SITE NUMBER WILB 4
 DATE TRIP 8/11/94 RECORDERS BJK, D. White
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 54 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location


Geographic Location Latitude 31° 27.3' S Longitude 115° 34.9' E Altitude ~35 uam

Reference Map

Photograph Photographer's Name NT

Photo No 30

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type cream Colour sand
 Exposed rock type limestone % surface 2

Sub-surface Soil type sand Colour yellow
 Rock type limestone depth to rock varying

Drainage well mod poor depth water cm Wet all year winter/spring

Litter Depth 10-30 % cover single leaf cm Bare Ground 2 %cover

Env. Geol: Qhs (see McArthur) wetlands not mapped















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
LIFE FORM					
COVER CLASS (%)					
DOMINANT SPECIES					
					30m 10m
SHRUBS					SHRUBS
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					
COVER CLASS (%)					~0.5
DOMINANT SPECIES					Low Heath D. 30-70 Mel. acerosa Cal. species quad. & sang
					2m 1m
GRASSES		HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM	Very Open Low Grass 	Very open Herbs 			Very Open Low Sedges 
COVER CLASS (%)	2-10%	2-10%			2-10
DOMINANT SPECIES	Danth. ocl	Conostylis cano Lom. Marit.			Meso pseudo Lax. flag
					1m

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	✓ rabbit droppings
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

