


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGA SITE NUMBER WILB 05
 DATE TRIP 8/11/94 RECORDERS BJK, DLake
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location

Geographic Location Latitude 31° 24.6 S Longitude 115° 34.7 E Altitude ~ 25 m uam

Reference Map

Photograph Photographer's Name BJK Photo No 32

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope various flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type Sand Colour cream
 Exposed rock type limestone % surface 60

Sub-surface Soil type limestone Colour _____
 Rock depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter Depth 40 % cover 0.5 cm Bare Ground 0 % cover

Env. Geol: Q+I

Wetlands not mapped















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
				<i>~1m Dense Heath B</i> 	
COVER CLASS (%)				<i>> 70%</i>	
DOMINANT SPECIES				<i>mixed</i>	
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
		<i>Open Herbs</i> 			<i>Very open low Sedges</i> 
COVER CLASS (%)		<i>10-30</i>			<i>2-10</i>
DOMINANT SPECIES		<i>Dead Annuals Low marit Triangle clat</i>			<i>Lox flex</i>

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS <i>Weeds not directly assessable, too late</i>
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

2/2/94

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESENCE Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

SITE No WLB 05

Date 8/11/94

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
				Hard comp.				Podaltherca angust			
				Bassiaea bicarpha				Loranth. microphylla			
				Nannia reticulata				* Dichisma (small) ann			
				Lysinema cilicium				* Sorbus olar			
				Abb hyp.				* Hypo. glabra			
				Tamplatelia biloba				Polandriana ? (in flora dead)			
MALLEES				Casbytha ? flava (fruit, autumn)				* Anegalis			
				Alloche humilis				Darapiera ? linearis (shrike)			
				GRASSES							
				* Aira cary							
				Stipa flavescens							
SHRUBS				Poa porteri (fine leaves)							
				Danthalia occidentalis							
				Poa drummond							
								SEDGES			
								Lox. flex			
								Lepid. angust			
								Scheuchzeria palustris			
				HERBS							
				Lomandra maritima							
				Trachymene ? coarctata							
				Trachymene pilosa							
				Danthonia globosa							
				Tricornis elctor				ADF			
				Waipara ciliata				Alloche humilis			
				Thalassia ciliata				Lobelia tenuior			
				Dianella divaricata							
				Conostylis cand.							
				Petrophile occid.							
				Mitotia tenuifolia							
				Thysanotus affinis							
				Senecio							
				Gastrop. ssp. maritima							

0 Crp. mutata

