


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGA SITE NUMBER WILB. 7
 DATE TRIP 8-11-1994 RECORDERS BJK, DJW, JJA, NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

Road Location _____

Geographic Location Latitude 31° 24.73 S Longitude 115° 35.50 E Altitude ~50 uam
 Reference Map _____

Photograph Photographer's Name DJW Photo No 34

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour brown
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour yellow
 Rock type _____ depth to rock _____

Drainage well mod poor depth water cm Wet all year winter/spring

Litter 30-70% % cover _____ Bare Ground < 2 % cover _____
 Depth 1 leaf cm

Env. Geol: Qts/Qtz

wetlands not mapped















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
	Scrub 		Heath 		
COVER CLASS (%)	1φ → 3φ		3φ → 7φ		
DOMINANT SPECIES	Calothamnus quad Hakea trif.		Mit. scabra? Dry senilis Acacia rostr.		
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
				over 0.5m	under 0.5m
					Very Open low Sedges. 
COVER CLASS (%)	<2%	<2%			2 + 1φ
DOMINANT SPECIES					Meso pseudo

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS Gladiolus few. Otherwise hardly disturbed. Lots of seedling (Banksia) ?Dryandra
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

