


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGA SITE NUMBER WILB 8  
 DATE TRIP 9-11-1994 RECORDERS BJK, NCT, TJA  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location \_\_\_\_\_

Geographic Location Latitude 31°25.3 S Longitude 115°33.8 E Altitude 90  
 Reference Map \_\_\_\_\_

Photograph Photographer's Name NCT Photo No 34

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep <sup>ca 35°</sup> Aspect N NE E SE S SW W NW

Surface Soil sand Colour grey  
 Exposed rock type \_\_\_\_\_ % surface \_\_\_\_\_

Sub-surface Soil sand Colour \_\_\_\_\_  
 Rock type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage well mod poor depth water \_\_\_\_\_ cm Wet all year winter/spring

Litter < 2% % cover \_\_\_\_\_ Bare Ground 10-30 % cover \_\_\_\_\_  
 Depth cm

Env. Geol: Qhs

wetlands not mapped






BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only






From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.





3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30 - 70%      over 70%

LIFE FORM	TREES			MALLEES	
	over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
					
COVER CLASS (%)	—	—	—	—	—
DOMINANT SPECIES					

LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
					
COVER CLASS (%)	—	—	—	1φ → 3φ	3φ → 7φ
DOMINANT SPECIES				Alyogyne hue ? Calothamn	Melaleuc Scaevola rep Acacia lasior

LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
			Open Herbs 		
COVER CLASS (%)		1φ → 3φ			2 → 1φ
DOMINANT SPECIES		Acauthocarp Lechen. lin Brachycome	herb		Loxocary flex Isolepis marq Lepidos arg.

(lots have died) not definite ID

4. VEGETATION CONDITION

1 'PRISTINE'		COMMENTS Lots of *Heliophila pus. otherwise evidence of a rich herb layer which is now mostly dead.
2 EXCELLENT		
3 VERY GOOD		
4 GOOD		
5 DEGRADED		



