


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA WILBINGA SITE NUMBER WKB 09
 DATE TRIP 9/11/94 RECORDERS BJK, JJA, NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT


Mud Map Draw a sketch of the location of the site below.



Road Location _____

Geographic Location Latitude 31° 25.3 S Longitude 115° 33.5 E Altitude _____
 Reference Map _____

Photograph _____ Photographer's Name NCT Photo No 1



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil sand Colour grey/brown
 Exposed rock type sheet L/S % surface 10% exposed

Sub-surface Soil sand Colour grey
 Rock type sheet L/S depth to rock 0 - 10 cm
pockets

Drainage well mod poor depth water cm Wet all year winter/spring

Litter 30-70 % cover _____ Bare Ground < 2 % cover _____
 Depth 1 leaf cm _____ not counting

(10% dead annuals)
 Env. Geol: Q+L
exposed rock wetlands not mapped















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class	2-10%	10-30%	30-70%	over 70%
-------------	-------	--------	--------	----------

LIFE FORM	TREES			MALLEES	
	over 30m	15-30m	5-15m under 5m	over 8m	under 8m
					
COVER CLASS (%)					
DOMINANT SPECIES					
LIFE FORM	SHRUBS			SHRUBS	
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
		Open Low Scrub A 	Heath B 		Dwarf Scrub D 
COVER CLASS (%)		2-10	30-70		10-30
DOMINANT SPECIES		Scaevola nitida	Mel. huec Acacia trunc Dry seps		Oxal. benth Calothamnus Acacia aff alata
LIFE FORM	GRASSES	HERBS	SEDGES	over 0.5m	
				under 0.5m	
		Very Open Herbs 			
COVER CLASS (%)	<2%	(alive) 2-10	<2%	<2%	
DOMINANT SPECIES		Conostylis can Cassyntha Hydrocotyle hisp			

4. VEGETATION CONDITION

1	'PRISTINE'	COMMENTS Few weeds, both in spp + cover. Grazed by cattle (2 seen near site)
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	

