


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA \_\_\_\_\_ SITE NUMBER WILB 12  
 DATE TRIP 9/11/94 RECORDERS BJK, NCT, JJA  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location coastal track - N House

Geographic Location Latitude 31° 25.7'S Longitude 115° 33.1'E Altitude \_\_\_\_\_  
 Reference Map \_\_\_\_\_

Photograph \_\_\_\_\_ Photographer's Name NCT Photo No 16

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope  flat  gentle  steep Aspect N NE E SE S SW W NW

Surface Soil type sand Colour grey/brown  
 Exposed rock type limestone % surface < 2

Sub-surface Soil type limestone Colour \_\_\_\_\_  
 Rock depth to rock 2-10 cm pockets of soil

Drainage  well  mod  poor depth water cm Wet all year winter/spring

Litter 2-10 % cover \_\_\_\_\_ Bare Ground < 2 %cover \_\_\_\_\_  
 Depth 1 leaf cm

Env. Geol Qts

Wetlands not mapped























**BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only**

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

**3. VEGETATION STRUCTURE AND COVER**

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class      2-10%      10-30%      30-70%      over 70%

		TREES			MALLEES	
		over 30m	15-30m	5-15m under 5m	over 8m	under 8m
LIFE FORM						
COVER CLASS (%)						
DOMINANT SPECIES						
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1-0.5m	under 0.5m
LIFE FORM		 			Dense low Heath c. 	
COVER CLASS (%)					> 70%	
DOMINANT SPECIES					Mel. cardio westringia damp	
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM		 	Very Open Herbs.   	  		  
COVER CLASS (%)			2-10% mixed			
DOMINANT SPECIES			most dead			

**4. VEGETATION CONDITION**

1	'PRISTINE'	<p align="center">COMMENTS</p> <p align="center"><i>Much animal traffic, trampling broken bushes</i></p>
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



