

BUSHLAND AREA:


QUADRAT No. White #1 VEGETATION TYPE _____
 DATE TRIP 13/12/93 BOTANIST BJC/ML/NG
 VOLUNTEERS _____
 DATE TRIP 17/11/93 BOTANIST ML/NG
 VOLUNTEERS _____

Keighery and Keighery, 1990
 Adapted from Griffin and Keighery, 198
 MOORE RIVER to JURLEN SANDPLAIN
 SURVEY. WILDFLOWER SOCIETY of WA

White

1. LOCATION of the QUADRAT


a. Mud Map Draw a sketch of the location of the quadrat:



b Road Location	c. Latitude	Longitude
	32° 41' 32.9"	115° 36' 43.2"
		Altitude
		20m ± 100m

d. Photograph Photographer's name NG Photo No 24225

e. Topographic position - Circle position of quadrat



2. SITE DATA - Circle the correct response

Slope flat gentle steep

Aspect

N	NE	E	SE	S	SW	W	NW
---	----	---	----	---	----	---	----

Surface soil pale grey calcareous sand

Sub-surface soil white sand EG = Qhms
 Webs & Resp = Qp1

Drainage well mod poor

Wet All year winter/spring

Litter (% cover) 40%





% Bare ground 10%






3. VEGETATION STRUCTURE AND COVER





Record appropriate cover class

Cover Class - percentage classes

0%	under 2%	2-10%	10-20%	20-30%	30-50%	50-70%	over 70%
----	----------	-------	--------	--------	--------	--------	----------

LIFE FORM	TREES		MALLEES	
				
COVER CLASS (%)	2-15m 5-15m			
Dominant Species				

LIFE FORM	SHRUBS					
	use the height classes indicated					
    	over 2m	2.0-1.5m	1.5-1.0m	1.0m - 0.5m	under 0.5m	
COVER CLASS (%)						20-30%
Dominant Species						Almond

LIFE FORM	BUNCH GRASSES	HERBS	SEDGES	
				
COVER CLASS (%)		50-70%		
Dominant Species		Low. moor		

4. VEGETATION CONDITION

PRISTINE	EXCELLENT	VERY GOOD	GOOD	DEGRADED	Comments
	✓				

