


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA PINNAROO CEMETARY SITE NUMBER PINN 02
 DATE TRIP 5-10-95 RECORDERS BJK, NCT
 DATE TRIP _____ RECORDERS _____
 DATE TRIP _____ RECORDERS _____
 BOTANIST _____

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 2 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.




Road Location _____

Geographic Location Latitude 31°48.729'S Longitude 115°46.484E Altitude _____
 Reference Map EPES 1mt

Photograph _____ Photographer's Name NCT Photo No 22

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE (E) SE S SW W NW

Surface Soil sand Colour brown
 Exposed rock type _____ % surface _____

Sub-surface Soil sand Colour pale yellow
 Rock type _____ depth to rock _____

Drainage well mod poor depth water _____ cm Wet all year winter/spring

Litter	<u>2-10</u> % cover	Bare Ground	<u>22</u> % cover
Depth	<u>0.5</u> cm		















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA Inc., PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below), and dominant species in each layer.

Cover Class 2-10% 10-30% 30 - 70% over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m under 5m	over 8m	under 8m
LIFE FORM						
COVER CLASS (%)						
DOMINANT SPECIES						
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM					Low Heath 	
COVER CLASS (%)					30-70	
DOMINANT SPECIES					Mel. acrota Acac. lasio	
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM		Dense grasses 	Very open herbs 			Very open low sedges 
COVER CLASS (%)		70+	2-10			2-10
DOMINANT SPECIES		*Lag. ovatus *Bromus diand. Stipa Hed	*Helio. pusil Lom. marit *Stell med.			Lox flex

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	Annual layer 30-70% Lag ovatus (Pussy) *Bromus, Stellaria
5	DEGRADED	Layer Kangaroo dung. In area many messy patches but weeds in patches

