


BUSHLAND PLANT SURVEY RECORDING SHEET 1- use pencil only

BUSHLAND AREA PINNAROO SITE NUMBER PINNØ3  
 DATE TRIP 5-10-95 RECORDERS BTK, NCT  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 DATE TRIP \_\_\_\_\_ RECORDERS \_\_\_\_\_  
 BOTANIST \_\_\_\_\_

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 24 Nedlands WA 6008.

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below.



Road Location

Geographic Location Latitude 31° 48.645 S Longitude 115° 46.594 E Altitude

Reference Map

EPH 166 mt


Photograph

Photographer's Name

NCT

Photo No 24

Topographic position Circle position of site on the transect (alter the transect if necessary)



2. SITE DATA Circle the correct response.

Slope flat gentle steep Aspect N NE E SE S SW W NW

Surface Soil type sand Colour brown  
 Exposed rock type \_\_\_\_\_ % surface \_\_\_\_\_

Sub-surface Soil type sand Colour yellow  
 Rock type \_\_\_\_\_ depth to rock \_\_\_\_\_

Drainage well mod poor depth water \_\_\_\_\_ cm Wet all year winter/spring

Litter	<u>30-70</u>	% cover	Bare Ground	<u>2</u>	% cover
	Depth <u>0.5-1</u>	cm			















BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Muir)- use pencil only

From 'Bushland Plant Survey' written by B. Keighery (1994) and published by the Wildflower Society of WA (Inc.), PO Box 64 Nedlands WA 6008.

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class            2-10%            10-30%            30 - 70%            over 70%

		TREES			MALLEES	
		over 30m	15 - 30m	5 - 15m under 5m ✓	over 9m	under 9m
LIFE FORM				Scattered Tuart to Woodland Low Woodland B 		
COVER CLASS (%)				10-30		
DOMINANT SPECIES				Bank prun.		
		SHRUBS			SHRUBS	
		over 2m	2m - 1.5m	1.5 - 1m	1 - 0.5m	under 0.5m
LIFE FORM				Heath B 		
COVER CLASS (%)				30-70		
DOMINANT SPECIES				Circus vort Xanth. prei		
		GRASSES	HERBS	SEDGES	over 0.5m	under 0.5m
LIFE FORM		Grasses 	Herbs 			
COVER CLASS (%)		30-70	30-70			2 → 10
DOMINANT SPECIES		Briz min * Eri. long * Briz max.	Ortho toxicus Trichy pil. Conostylis acul.			Meso pseudo

4. VEGETATION CONDITION

		COMMENTS
1	'PRISTINE'	Fire ≈ 7-10 years ago, regrowth Bank prun. (adj mature specimen)
2	EXCELLENT	
3	VERY GOOD	
4	GOOD	
5	DEGRADED	



