


Willcock Forest Block

BUSHLAND PLANT SURVEY RECORDING SHEET 1 - use pencil only

BUSHLAND AREA Whicher Block SITE NUMBER WH01
 DATE TRIP 17/9/02 RECORDERS A. Webb, K. Ninnette
 DATE TRIP 16/11/04 RECORDERS BJK, GJK, AW
 DATE TRIP _____ RECORDERS _____

1. LOCATION of the QUADRAT

Mud Map Draw a sketch of the location of the site below



Road Location Nearest named road is Sabina Road
Shire of Busselton

Geographic Location Latitude 33 49 01.6 S Longitude 115 29 49.8 E Altitude 170ft.
 GPS Accuracy _____
 Map Sheet COG Map 54

Photograph Name Whicher 01 Number _____

Topographic Position (Circle the correct response)
 Upland _____
 Upper slope _____
 Midslope _____
 Lower slope (circled)
 Valley head (circled)
 Washline _____

2. SITE DATA Circle the correct response

Slope flat _____ gentle (circled) steep _____ Aspect (N) NE E SE S SW W NW

Surface Soil black sandy clay Depth to Rock _____ Colour _____

Exposed Rock type _____ % surface cover _____ size range _____

Litter _____ % surface cover _____ Depth (cm) _____

Bare Ground 5 % surface cover _____
















Adapted from 'Bushland Plant Survey' written by B. Keighery (1994) and published by Wildflower Society of WA (Inc). PO Box 64 Nedlands WA 6008

BUSHLAND PLANT SURVEY RECORDING SHEET 2 (Mult) - use pencil only

3. VEGETATION STRUCTURE AND COVER

For each layer record - appropriate life form, cover class (see below) and dominant species in each layer.

Cover Class 2-10% 10-30% 30-70% over 70%

LIFE FORM	TREES			MALLEES	
	over 15m	5-15m	under 5m	over 8m	under 8m
					
		30-70			
		Jarrah Manni			
LIFE FORM	SHRUBS				SHRUBS
	over 2m	2m-1.5m	1.5-1m	1-0.5m	under 0.5m
					
	30-70			10-30%	
	A. lincolnella A. extend Kunzea Ashtoria foveae			Xanthorrhoea spp	
LIFE FORM	GRASSES	HERBS	SEDGES	SEDGES	
				over 0.5m	under 0.5m
					
			over 70%		
			Mesochloa sp Drosera fascicularis Humboldtia exilis		

4. VEGETATION CONDITION

Comments Very Good - Good: Past clearing
assoc. settlement, possibly grazing and logging
head of stream edge dominated clayflat
between lotic holes

Lepidosperma
Drosera bromeloides

BUSHLAND PLANT SURVEY RECORDING SHEET 3 - use pencil only

5. SPECIES PRESCENCE Label each plant with plants number, site code, date and plant's name or working name if required

Record on Sheet

SITE No W/h 01
 Date 17/9/02

- Column 1 plant name
- Column 2 plant number
- Column 3 flowering time- TICK if species flowering
- Column 4 identification check

TREES	No	FI	ID	SHRUBS (cont.)	No	FI	ID	HERBS (cont.)	No	FI	ID
<i>Euc. calophylla</i>				16/11				<i>Lythrum</i>			
<i>Euc. marginata</i>				<i>Boronia australis</i>				<i>Xanthorrhoea candida</i>			
<i>Drosera peltata</i>				<i>Kunzea rostrata</i>				<i>Lindsaea linearis</i>			
				<i>Ceanothus aculeata</i> (resp)				<i>Phacelia ciliata</i>			
				<i>Phyllocladus pygmaeus</i>							
				* <i>Boronia minor</i>				16/11 * <i>Paran. n. scab.</i>			
				<i>Siloxerus humilis</i>				<i>Arctostaphylos occidentalis</i>			
				<i>Chaen. cymosa</i>				* <i>Orcosthopsis compressus</i>			
				GRASSES				<i>Stylidium minimum</i>			
				<i>Tetrachloa laevis</i>				<i>Apollonia exserta</i>			
				* <i>Romulea rosea</i>				* <i>Eriza maxima</i>			
				<i>Amphioxys laurifolia</i>				* <i>Helcus lanatus</i>			
								* <i>Lolium angustifolius</i>			
				16/11				SEDGES			
				* <i>Anthriscum odoratum</i>				<i>Democladus paniculata</i>			
				<i>Selaginella gracillima</i>				<i>Trichostema</i>			
								<i>Phloxantha tetragona</i>			
				HERBS				<i>Lepidocarpus = Lepyrodia</i>			
				16/11 <i>Trinervia</i>				<i>Stenactis subulbosus</i> (mutum)			
				* <i>Tetralium</i>							
				<i>Elv. thymifera</i>							
				Orchid sp.				16/11			
				<i>Acly. lael. sp.</i>				<i>Drosera peltata</i> (or)			
				* <i>Hibiscus chinensis</i>				<i>Caesia occidentalis</i>			
				<i>Hebeacanthus callicarpa</i>				<i>Stylidium crassifolium</i>			
				<i>Leventhorax</i>				<i>Dasy. hookeri</i>			
				* <i>Xanthorrhoea puelia</i>				<i>Nano. linearis</i>			
				<i>Chamaecrista linearis</i>				<i>Microdorum spersiflorum</i>			
				<i>Trif. sp. 2</i>				* <i>Lolium multiflorum</i>			
				<i>Delonixia</i>				<i>Schoenus sp. 1</i>			
				<i>Desmodium</i>				<i>Acrocalymma pusilla</i>			
								<i>Pharadiply. pteridiflorum</i>			
								<i>Patersonia gracilis</i>			
								<i>Trichostema</i>			
								<i>Trichostema</i>			

Ciade
Edison

16/11

Patersonia gracilis
Trichostema
 10/11

16/11

Kinigia australis

Lycopodium glaucum, *rigidum* (Ste)

Podocarpus dracynoides

Agrostis stricta

Trichostema lanatum

Stylidium australe

Asplenium platyneuron

Lepidodermis squarrosa

* *Asplenium platyneuron*

Thelymitra macrophylla

Elaphoglossum marginatum

Laecocarpus australis

Cyathochaeta avarae (Gr)