

## ENTERED ON GIS

**Name:** Classification of Plants  
**Date:** 26/05/2006  
**Capture Author:** Thomas Leong

**Comments:**

*Polygon*

Created to match documented study area with high level of accuracy

Accuracy Levels:

- High = Document contained visual and or described spatial references easily captured, resulting in little or no polygon boundary errors
- Acceptable = Document contained visual and or described spatial references with complex boundaries, resulting in minor boundary errors
- Low = Document contained little or no visual and or described spatial references, resulting in polygon boundary errors

*Attributes*

Partial copy of original document, values entered for attributes below cannot be taken as accurate

Report Info – Captured without problems  
Custodial/Contact – Captured without problems  
Content – Captured without problems

Falcon

COPY FOR YOUR INFORMATION

No File SB Cab  
Flora study

lot No 9893, FALCON  
at records

# Classification of plants.

Possibly Crown Reserve 9893, Falcon.  
PEEL 'Flavia Reserve'

By A. Dixon Dip Hort

Bound by roads Zavia, Crusader + Cobblers.

Exist? ???

The plants have been divided into ten categories, namely:

1. Trees.
2. Shrubs (cycads).
3. Shrubs (dicotyledons).
4. Twining and prostrate plants.
5. Herbs (ferns).
6. Flowering plants (monocotyledons).
7. Herbs.
8. Grasses and grasslike plants.
9. Twine rushes.
10. Orchids.

Prickly Bitter-Pea	Daviesia decurrens	medium
Common Hovea	Hover trisperma	medium
Granny Bonnets	Isotropis cuneifolia	medium
Stinkwood	Jacksonia sternbergiana	medium
	Jacksonia furcellata	medium
	Jacksonia sericea	medium
Bacon and Egg	Oxylobium capitatum	medium
Rose Pelargonium	Pelargonium capitatum	low+
Common Dampiera	Dampiera linearis	high
Grey Scaevola	Scaevola canescens	medium
Silky Scaevola	Scaevola holosericea	medium
Snake Bush	Hemiandra pungens	medium
Swan River Myrtle	Hypocalymma robustum	medium
Tiered Mat Rush	Lomandra odora	high
Purple Flag	Patersonia occidentalis	medium
Parrot Bush	Dryandra sessilis	medium
Honey Bush	Hakea lissocarpha	medium
Snottygobble	Persoonia saccata	high
Bacon and Eggs	Oxylobium capitatum	medium
	Bronia ramosa	low
Pepper and Salt	Eriostemon spicatus	high
Wild Violet	Hybanthus calycinus	medium

### TWINING AND PROSTRATE PLANTS

Bridal Rainbow	Drosera macrantha	high
Pale Sundew	Drosera pallida	high
Pink Rainbow	Drosera penicillaris	medium
Native Wisteria	Hardenbergia comptoniana	medium
Red Runner	Kennedia prostrata	medium#

### HERBS

### FERNS

Annual Fern	Angoramma leptophylla	low
-------------	-----------------------	-----

### FLOWERING PLANTS

### MONOCOTYLEDONS

Mangles Kangaroo Paw	Anigzanthos manglesii	medium
----------------------	-----------------------	--------

# Denotes plants wholly or partially edible.

+ Denotes introduced plants.

\* Denotes parasitic plants.

## HERBS

Blue Tinsel Lily	Calectasia cyanea	medium
Prickly Conostylis	Conostylis aculeata	medium
Bristly Conostylis	Conostylis setigera	medium
	Haemodorum spicatum	medium#
	Haemodorum paniculatum	medium#
Purple Flag	Patersonia occidentalis	medium
Blue Grass Lily	Agrostocrinum scabrum	low
Milkmaids	Burchardia umbellata	high
Flax Lily	Dianella divaricata	medium
Small Flowered Mat Rush	Lomandra micrantha	medium
	Lomandra preissi	high
Vanilla lily	Sowerbaea laxiflora	high
Branching Fringed Lily	Thysanotus dichotomus	medium
Red Ink Sundew	Drosera erythrorhiza	medium
Pimpernel Sundew	Drosera glanduligera	low
Leafy Sundew	Drosera stolonifera	medium
Coast Evening Primrose	Oenothera drummondii	medium
Slender Lobelia	Lobelia tenuior	medium
Pink Fountain TriggerPlant	Stylidium brunonianum	medium

## GRASSES AND GRASSLIKE PLANTS

Coast Sword-sedge	Lepidosperma gladiatum	medium
	Lepidosperma scabrum	medium
	Schoenus benthamii	medium
	Mesomelaena stygia	medium
African lovegrass	Eragrostis curvula	high
Annual Veldgrass	Ehrharta longiflora	high+
Summer Grass	Digitaria ciliaris	medium+

Yellow Buttercups	Hibbertia hypericoides	medium
Rose Banjine	Pimelea rosea	low

# Denotes plants wholly or partially edible.

+ Denotes introduced plants.

\* Denotes parasitic plants.

Over a one month period of observation I observed frequent fly-overs of the rare and endangered white-tailed Black Cockatoo.

As this area is quite rich in flora as well as fauna, I recommend that the reserve be left as a nature or an ecological park, as these small plots of remnant bushland are becoming quite rare. Also there are at least 10 to 12 breeding and nesting sites in and around the reserve.

• Brush-tailed Possum	6	sighted
• Pink and Grey Galah	15	sighted
• Red-capped Parrots	12	sighted
• Regent Parrots	5	sighted
• Ringneck Parrot	12	sighted
• Ringneck Parrot		
subspecies C.zonarius	8	sighted
subspecies D semitorquatus	14	sighted
• Grey Fantails	11	sighted
• Splendid Fairywren	8	sighted
• Western Silver-eye	10	sighted
• Bronzewing Pigeon	23	sighted
• Pied Butcherbird	3	sighted
• Magpielark	7	sighted
• Australian Magpie	14	sighted
• Australian Raven	4	sighted
• Sacred Kingfisher	2	sighted
• Australian Owlet-nightjar	2	sighted
• Tawny Frogmouth	3	sighted
• Boobook Owl	1	sighted
• New Holland Honeyeater	7	sighted
• White-naped Honeyeater	6	sighted
• Western Spinebill	2	sighted
• REPTILES		
• Tiger Snake	2	sighted
• Shingle Back Lizard	5	sighted
• Blue Tongue Lizard	4	sighted

FROGS at least 8 different species I have sighted in this area

BATS 14 sighted