

N  
↑ Pinjarra 2



Pinjarra 2 - TPE. TALK TO BROWNS

Reel scheme - 'Dag post' at the bottom  
is proposed for industrial zoning.

Does Brown know if it has sufficient  
TEC values + should be retained  
in construction area.

## Draft Descriptions - Pinjarra Town Area

B.J. Keighery 1996 DEP

**AREA DESCRIPTION**

Suggested name of area (1996)

System 6 (1984)

Some Other Commonly used Names:

Subm 280 Ravenswood Speedway  
vegetation

Area (ha):

94ha, 90% modified remnant  
(Ag WA GIS), 790 % bushland (aerial  
photo)

Local Authorities (Suburb)

Zoning (MRS &amp; town planning)

Ownership categories: Street name, Lot number

Reserve Status

**LANDFORM AND SOIL**

Landscape features: river - sand cliff, creek, vegetated wetlands (including claypan), vegetated uplands

Geomorphology and soils

Pinjarra Plains

Guildford formation (Qha)

Bassendean Dunes

Bassendean sands (Qpb)

Bassendean Dunes/Pinjarra Plain

Bassendean sands over Guildford Formation (Qpb/Qpa)

**REGIONAL VEGETATION AND FLORA**

Vegetation Complex

Bassendean Dunes

Bassendean Complex - Central and South

Floristic Community Types

Supergroup 2: Seasonal Wetlands

4 *Melaleuca preissiana* damplandsS1 *Astartea* aff. *fascicularis*/ *Melaleuca* species dense shrublands

Supergroup 3: Uplands, centred on Bassendean Dunes and the Dandaragan Plateau

21c Low lying *Banksia attenuata* woodlands or shrublands22 *Banksia ilicifolia* woodlands

S15 Weed group, Degradedly allied

**REGIONAL WETLAND**

Wetland Types: dampland, floodplain, palusplain

Consanguineous suite (undefined areas included in boundary)

Bassendean - Pinjarra transition OR Bassendean with fluvial features

Mungala (B/P.2)

Coastal Plain Rivers

Murray River

Estuaries

Wetland Management Objective: Conservation, Resource Enhancement, Multiple Use

Lake EPP: 3ha (?adjacent, west)

**THREATENED COMMUNITIES/SPECIES**

Not assessed

**AREA DESCRIPTION**

Vegetation and Flora

Structural units: (limited survey)

*Eucalyptus rudii* Forst, *Banksia attenuata* and *B. ilicifolia* Woodland, *Jacksonia*, *Regelia*, *Pericalymma* and  
*Melaleuc* Shrublands and *Cyathochaeta* and *Leptocarpus* Sedglands.Vegetation Condition: >70% Very Good to Good, with <30% Degraded to Completely Degraded, with  
areas of severe localised disturbance

Total Flora: XX (site generated list only)

DRF/Priority - GIS: none recorded

DRF/Priority and significant flora - *Cyathochaeta terebinthifolia* (1), *Parsonsia diaphanophleba* (2), *Dodonaea*  
*hackettiana* (4)*Stylidium utricularioides*, *Acacia lasiocarpa* 'Pinjarra', *Eucalyptus patens***Fauna**

Mammals: not surveyed (Quenda habitat)

Linkage: no adjacent bushland

Special Attributes:

**INTERNATIONAL AND NATIONAL SIGNIFICANCE**

Draft Descriptions - Pinjarra Town Area

B.J. Keighery 1996 DEP

Not listed

**CONSERVATION RECOMMENDATIONS**

**Criteria met for inclusion:** eg XX, XY Y

**Constraints:** Private land???

**Recommendation:**